

एसजेवीएन अरुण-३
पावर डेवलपमेण्ट कम्पनी (प्रा.) लि.
(भारत सरकार र हिमाचल सरकारको संयुक्त कम्पनी,
एसजेवीएन लिमिटेड बाट स्थापित कम्पनी)



SJVN Arun-3
Power Development Company (P.) Ltd.
(A company promoted by SJVN limited,
joint venture of Govt. of India and Govt. of H.P.)

Ref.No.: SAPDC/CE (P&C)/PPR-95 /2020-07

Dated: 01.01.2020

NOTICE INVITING QUOTATIONS (NIQ)

Sealed quotations are herewith invited by SJVN Arun-3 Power Development Company Pvt. Ltd. (SAPDC/Employer) from the eligible bidder/suppliers of Nepal for “Supply, transportation, fixing and demonstration of fire extinguishers in office and residential building of SAPDC at Tumlingtar, Dovan , Phaksinda, Pukhuwa & Janakpur in Nepal (PPR-95)” as per the details provided here-in-below:-

Sr. No.	Description	Remarks
1.	Bill of Quantities (BOQ)	Refer <i>Annexure 'A'</i>
2.	Scope of work & Technical Specifications	Refer <i>Annexure 'B'</i>
3.	Form of declaration	Refer <i>Annexure 'C'</i>

TERMS & CONDITIONS (T&C):

1. Minimum Qualifying Requirements

- a. The firm/bidder should be manufacturer/authorized distributor/authorized supplier/authorized reseller for item (s) for which Bidder is submitting bid. In addition to above, other suppliers can also participate in bidding subject to furnishing of a certificate from authorized supplier/reseller/manufacturer for this particular consignment.
 - b. The technical specification of the offered Make/Brand/model of item (s) / equipment/instruments shall be equivalent or higher than the specifications mentioned under Technical Specifications (**Annexure-B**).
2. The bidder must submit the bid in the following two separate sealed envelopes clearly indicating the contents therein duly super scribed as under and these two envelopes should be enclosed in a single sealed envelope/cover super scribed as “Supply, transportation, fixing and demonstration of fire extinguishers in office and residential building of SAPDC at Tumlingtar, Dovan , Phaksinda, Pukhuwa & Janakpur in Nepal (PPR-95)” and submitted at the address of the undersigned and must reach this office through courier or by post or by hand on or before 22.01.2020 by 15:00 Hrs. and same shall be opened on 23.01.2020 at 16:00 Hrs. in presence of authorized representative of firms who choose to attend.

PART-I (Envelope-1):-

- i. Earnest Money Deposit (EMD) (as per Sr. No 8).
- ii. The firm shall submit PAN/VAT/company registration certificate.

- iii. Authorization certificate supporting with requisite Documents for meeting out criteria laid down at Sr. No. 1. a. above.
- iv. User Manual/Catalogues/Technical Specification of the items for which rates have been quoted by the Bidder for meeting out criteria laid down at Sr. No. 1. b. above.
- v. Form of declaration as per **Annexure-C**.
- vi. Bank Account Details as per **Annexure-D**

PART-II (Envelope-2):-

Price bid: -

Comprising of Price Bid at **Annexure-A** i.e., duly filled, signed and stamped in Bill of Quantities (BOQ).

The bid shall be opened in the following sequence:

- i. First, the envelope Part-I shall be opened.
 - ii. Part –II (Price Bid) shall be opened on same day if no clarification is required from the Bidder(s). In case clarification is sought from any Bidder(s), separate intimation shall be given for opening of Price Bids.
3. **No material and T&P will be issued by SAPDC.**
 4. **Completion Period:-** The total time for supply of item(s), installation and demonstration is three(03) from the date of issuance of Supply Order.
 5. **Bid Validity:** The bid (s) shall be valid for 90 days from opening of bid (s).
 6. **Prices:** The supplier/bidder shall offer rates & prices “on Firm Price Basis”. The quoted rates shall be inclusive of VAT, all other taxes & duties, transportation, transit insurance, loading & unloading, installation & demonstration etc. and SAPDC shall not bear anything extra on this account. Any statutory variation in the rate of taxes after the last date of submission of bid(if any), during the currency of the contract including extension thereof shall be reimbursed /adjusted on production of documentary proof.

Rates should be filled in both figures and words. In case of ambiguity/ies in between the rate in figures and the rate in words, the rate quoted in words shall prevail and the amount shall be corrected accordingly. The SAPDC reserves the right to adjust arithmetical or other errors in any tender/quotation in the way which it considers suitable.

7. **Payment:** The payments will be made in the following manner:

95% Payment will be made after delivery of the item(s), installation and demonstration at Tumlingtar, Power House site, Dam site (Dovan , Phaksinda, Pukhuwa) & Janakpur or as directed by the EIC/OIC and inspection report & completion certificate issued by EIC/OIC. Payment shall be released within 15 days of receipt of bill completed in all respect.

Five percent (5%) amount of gross bill shall be retained by SAPDC which shall be released after completion of guarantee period of minimum one year from the date of supply of material(s) at SAPDC(Store) tumlingtar and Janakpur office upon recommendation and submission of satisfactory performance certificates by EIC/In-charge safety. No interest shall be paid on the retained amount.

8. Earnest Money Deposit (EMD):

- a. Earnest Money amounting to NPR 20,200/- shall be submitted in the shape of Bank Draft/Manager Cheque/FDR(duly pledged in favour of SJVN Arun-3 Power Development Company Pvt. Ltd.)
- b. EMD of the bidder shall be forfeited, if the bidder withdraws or amends its bid or impairs or derogates from the bid in any respect within the period of validity of the bid.
- c. The EMD of unsuccessful bidders shall be released within 15 days without interest after award to successful(L-1) bidder. EMD of the successful bidder will be released without interest along with the 95% payment as per Clause 7 of NIQ. However, EMD of successful bidder shall be forfeited in case non-supply as per the terms and conditions of award/supply order.
- d. No interest shall be payable by SAPDC on EMD.

9. **Award Criteria:** The bid shall be evaluated on overall basis and the award shall be made based on the lowest rate quoted by the Bidder/Supplier for whole work as per **Annexure-A** in the Bill of Quantities.

10. **Liquidated Damages (LD):** In case of delay in assignment (including Supply , installation & demonstration) beyond the completion period (03 Month), **LD @ 0.15% of contract price per day in completion shall be levied subject to maximum of 5%** of the contract price. In case the supplier fails to supply the item(s)/material within 125 days from issuance of supply order, SAPDC reserves the right to terminate the supply order and bid security / EMD shall be forfeited.

11. **Force Majeure:** The term "Force Majeure" shall herein mean riots (other than among the Vendor's employees), Civil Commotion (to the extent not insurable), war (whether declared or not), invasion, act of foreign enemies, hostilities, civil war, rebellion, revolution, insurrection, military or usurped power, damage from aircraft, nuclear fission, acts of God, such as earthquake (above 7 magnitude on Richter Scale), lightning, unprecedented floods, fires not caused by Vendor's negligence and other such causes over which the Vendor has no control and are accepted as such by the Engineer-in-Charge, whose decision shall be final and binding. In the event of either party being rendered unable by Force Majeure to perform any obligation required to be performed by them under this contract, the relative obligation of the party affected by such Force Majeure shall be treated as suspended for the period during which such Force Majeure cause lasts, provided the party alleging that it has been rendered unable as aforesaid, thereby shall notify within 10 days of the alleged beginning and ending thereof giving full particulars and satisfactory evidence in support of such cause. Extension of time without levy of LD shall be provided during the period of occurrence of Force Majeure event, however no cost compensation shall be provided.

12. **Packing:** The supplier, wherever applicable shall properly pack and stack all materials/goods in such a manner as to protect them from deterioration and damage during transportation. The supplier shall be responsible for all damage due to improper packing.

13. **Replacement:** If the items/ equipments or any portion thereof is damaged or lost during transit, SAPDC shall give notice to the supplier setting forth particulars of such items/ equipments damaged or lost during transit. The replacement of such items/ equipments shall be effected by the supplier within a reasonable time to avoid unnecessary delay in the intended usage of the materials free of cost to the SAPDC.

14. **Rejection:** In the event that any of the items/ equipments supplied by the supplier is found defective in material or workmanship or otherwise not in conformity with the specification, SAPDC shall either reject the items/ equipments or request the supplier in writing to rectify the same. The supplier, on receipt of such notification shall either rectify or replace the defective items/ equipments free of cost to the SAPDC.
15. **Demurrage, Wharfage etc.:** All demurrage, wharfage and other expenses incurred due to delayed clearance of the items/ equipments or any other reason shall be on the account of the supplier.
16. **Guarantee/Warranty:** Guarantee/Warranty shall be minimum for 12 months or as per the Policy of Original Equipment Manufacturer (OEM), whichever is higher. In case of any complaint/repair required during Warranty/Guarantee period, the vendor will respond within two days and ensure rectification within one week's time from the date of lodging of complaint. The supplier shall either rectify or replace the defective items/ equipments free of cost to SAPDC within Guarantee/Warranty period.
17. **Consignee:** The material/ goods under this Contract, shall be dispatched to the Consignee at the following addresses:-

Address for Material/Goods to be supplied for Tumlingtar, Dovan , Phaksinda, Pukhuwa (as detailed at Sr.No.4(i) of Scope of work)

Chief Engineer (Store),
 Satluj Bhawan, Arun Sadan,
 SAPDC, Tumlingtar,
 Distt. Sankhuwasabha, Nepal.
 (Mobile No.: 9852058517)
 Email: store.sapdc@gmail.com, wntstores.sapdc@gmail.com

Address for Material/Goods to be supplied at Janakpur office (as detailed at Sr.No.4(ii) of Scope of work)

DGM (TL),
 SAPDC Transmission line Office,
 Mujeliya Ward No.14, Janakpur,
 Distt. Dhanusha, Nepal.
 (Tel No. 041-424054, Mobile No.: 9854029810)
 Email: tl.sapdc@gamil.com

For the material/goods dispatched to Janakpur office, DGM(TL), Jhanakpur shall submit the inspection/completion certificate to Chief Engineer (Store) who shall be the overall consignee for this contract. However payment and other codal formality shall be done through Chief Engineer (Store) for above said material also.

18. For any enquiry/clarification for submission of bid and any other information, the Bidders may contact to:-

Name	Designation	Contact No.	Address
Er. Vivek Sharma	Chief Engineer (P&C)	Mob.:- 9852058517	Satluj Bhawan, Arun Sadan, SAPDC, Tumlingtar, Distt. Sankhuwasabha, Nepal.

19. GENERAL INFORMATION:-

Access to Project Sites:

To reach the site of Arun-3 HPP Nepal the nearest broad gauge railway station is Jogbani, Bihar (India) and further by road up to Tumlingtar is about nearly 264 Km. Jogbani in Bihar is a city of India with Nepal border and is just 6.00 Km. from Biratnagar (a major industrial town of Nepal).

Road conditions in different road segment en-route are as under:-

- a. Jogbani to Hile:- Hile is located at a distance of 118 Km from Jogbani and the existing road up to Hile is black topped road and in good condition. Hile is at EL 1920 m from sea level.
 - b. Hile to Tumlingtar (Hill road route):- This route is about 111 Km and the road partially is black topped and kuchhaup to Chainpur (EL 1285m) and Chainpur to Tumlingtar is black top.
 - c. Tumlingtar is also connected to Kathmandu and Biratnagar by air by around thirty five minutes journey.
20. **Resolution of Dispute:** In case of any dispute or difference that arises out of the subject cited supply, the same shall be referred to the Sole Arbitrator, who shall be appointed by the CEO, Arun-3HPP, SAPDC, Tumlingtar. The award of the arbitrator shall be final and binding on both the parties.
- Courts of Chainpur (Nepal) shall have exclusive Jurisdiction for adjudication upon the dispute arising out of the subject cited supply between the parties.
21. Corrigendum/Addendum, if any to NIQ shall be uploaded only on <http://sjvn.nic.in/tender.htm> & <http://www.sapdc.com.np/pages/tender>.
22. SAPDC reserves the right to reject any or all the tenders without assigning any reason thereof.

For & on the behalf of SAPDC

Sd/

Chief Engineer (P&C)

Satluj Bhawan, Arun Sadan,

SAPDC, Tumlingtar,

Distt. Sankhuwasabha, Nepal

Ph. +977-29-575154,

E-mail Address: pnc.sapdc@gmail.com

BILL OF QUANTITIES (BOQ)

Supply, transportation, fixing and demonstration of fire extinguishers in office and residential building of SAPDC at Tumlingtar, Dovan , Phaksinda, Pukhuwa & Janakpur in Nepal (PPR-95)							
Item No.	Description of Items	Unit	Qty.	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
					In Figures	In Words	
1.	Providing and fixing ABC Type Fire Extinguishers in SAPDC offices and residential buildings at Tumlingtar, Dovan, Phaksinda, Pukhuwa & Janakpur in Nepal having following capacities complete in all respect (As per technical specifications at Annexure-B)						
(a)	4 Kg	Nos	95				
(b)	6 kg	Nos	12				
(c)	9 kg	Nos	4				
2.	Providing and fixing CO₂ Type Fire Extinguishers in SAPDC offices and residential buildings at Tumlingtar, Dovan, Phaksinda, Pukhuwa & Janakpur in Nepal having following capacities complete in all respect. (As per technical specifications at Annexure-B)						
(a)	2 Kg	Nos	38				
(b)	5 Kg	Nos	4				

Supply, transportation, fixing and demonstration of fire extinguishers in office and residential building of SAPDC at Tumlingtar, Dovan, Phaksinda, Pukhuwa & Janakpur in Nepal (PPR-95)							
Item No.	Description of Items	Unit	Qty.	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
					In Figures	In Words	
3.	Providing and fixing Foam Type Fire Extinguishers in SAPDC offices and residential buildings at Tumlingtar, Dovan, Phaksinda, Pukhuwa & Janakpur in Nepal having following capacities complete in all respect. (As per technical specifications at Annexure-B)						
(a)	9 Ltr.	Nos	5				
Total Amount (NPR) inclusive of VAT, all other taxes & duties, transportation, transit insurance, loading & unloading, installation & demonstration etc.							

Date: -

Bidders Name and Signature along with seal

Place: -

Annexure-B

Technical Specification(PPR-95)

1. ABC Type 4 Kg:-

- **Charge** - ABC Dry Powder (MAP50 / MAP90)
- **Capacity** - 4Kg
- **Propellant** - Dry Nitrogen to 15Kg/Cm²
- **Minimum Effective Discharge Time** - 13 Seconds (Minimum)
- **Bulk Range Discharge** - 2 Meter (Minimum)
- **Cylinder Testing Pressure** - 30 kgf/cm².
- **Service Pressure** - 15 kgf/cm²
- **Working Temperature** - -30°C to +55°C
- **Weight of one Charged Extinguisher** - 7Kg (approx.)
- **Standard Specification** - IS 15683:2006
- **Suitable for** - A, B and C Class Fire
- **Construction:** Manufactured out of CRCA sheets in all welded construction.
- **Valve:** Brass forged / Gun Metal.
- **Pressure Gauge:** High precision calibrated to know the readiness of the Extinguisher.
- **Anti-Corrosive Treatment:** Body coated with lead and tin alloy internally and externally by electrolic deposition process / phosphatized.
- **Accessories:** Wall mounting brackets

2. ABC Type 6 Kg:-

- **Charge** - ABC Dry Powder (MAP50 / MAP90)
- **Capacity** - 6Kg
- **Propellant** - Dry Nitrogen to 15Kg/Cm²
- **Minimum Effective Discharge Time** - 13 Seconds (Minimum)
- **Bulk Range Discharge** - 2 Meter (Minimum)
- **Cylinder Testing Pressure** - 35 kgf/cm²
- **Service Pressure** - 15 kgf/cm²
- **Working Temperature** - -30°C to +55°C
- **Weight of one Charged Extinguisher** - 7Kg (approx.)
- **Standard Specification** - IS 15683:2006
- **Suitable for** - A, B and C Class Fire
- **Construction:** Manufactured out of CRCA sheets in all welded construction.
- **Valve:** Brass forged / Gun Metal.
- **Pressure Gauge:** High precision calibrated to know the readiness of the Extinguisher.
- **Anti-Corrosive Treatment:** Body coated with lead and tin alloy internally and externally by electrolic deposition process / phosphatized.
- **Accessories:** Wall mounting brackets.

3. ABC Type 9 Kg:-

- **Charge** - ABC Dry Powder (MAP50 / MAP90)
- **Capacity** - 9Kg
- **Propellant** - Dry Nitrogen to 15Kg/Cm²
- **Minimum Effective Discharge Time** - 13 Seconds (Minimum)
- **Bulk Range Discharge** - 2 Meter (Minimum)
- **Cylinder Testing Pressure** - 35 kgf/cm²
- **Service Pressure** - 15 kgf/cm²
- **Working Temperature** - -30°C to +55°C
- **Weight of one Charged Extinguisher** - 7Kg (approx.)
- **Standard Specification** - IS 15683:2006
- **Suitable for** - A, B and C Class Fire.

- Construction: Manufactured out of CRCA sheets in all welded construction.
- Valve: Brass forged / Gun Metal.
- Pressure Gauge: High precision calibrated to know the readiness of the Extinguisher.
- Anti-Corrosive Treatment: Body coated with lead and tin alloy internally and externally by electrolic deposition process / phosphatized.
- Accessories: Wall mounting brackets.

4. CO₂ Type Fire Extinguisher 2 Kg:-

- Charge - CO₂ Gas
- Capacity - 2Kg
- Rating – 8B
- Minimum Effective Discharge Time - 8 Seconds (Minimum)
- Bulk Range Discharge - 1 Meter (Minimum)
- Cylinder Testing Pressure - 250 kgf/cm²
- Gas Storage Pressure - 50kg/cm² approx.
- Filling Density - 0.667 Max.
- Working Temperature - -30°C to +55°C
- Weight of one Charged Extinguisher - 9Kg (approx.)
- Standard Specification - IS 15683:2006
- Operating Valve - Squeeze Grip Type /Wheel Type
- Suitable for - B and C Class Fire.
- Accessories: Wall mounting brackets

5. CO₂ Type Fire Extinguisher 5 Kg:-

- Charge - CO₂ Gas
- Capacity - 5Kg
- Rating – 21B
- Minimum Effective Discharge Time - 8 Seconds (Minimum)
- Bulk Range Discharge - 1 Meter (Minimum)
- Cylinder Testing Pressure - 250 kgf/cm²
- Gas Storage Pressure - 50kg/cm² approx.
- Filling Density - 0.667 Max.
- Working Temperature - -30°C to +55°C
- Weight of one Charged Extinguisher - 9Kg (approx.)
- Standard Specification - IS 15683:2006
- Operating Valve - Squeeze Grip Type /Wheel Type
- Suitable for - B and C Class Fire

6. Mechanical Foam 9 Ltrs:-

- Charge - AFFF (6%) -540ml
- Capacity - 9 Litre
- Propellant - 120 grams CO₂ stored in Gas Cartridge
- Minimum Effective Discharge Time 13 Seconds (Minimum)
- Bulk Range Discharge 2 Meter (Minimum)
- Discharge Time - 40sec. to 180sec.
- Cylinder Testing Pressure -35 kgf/cm²
- Service Pressure -12 Bar Max.
- Working Temperature - +5°C to +55°C

SCOPE OF WORK

Scope of work shall include but not limit to supply, transportation, loading & unloading, installation and demonstration of fire extinguishers in office and residential building of SAPDC at Tumlingtar, Dovan , Phaksinda, Pukhuwa & Janakpur in Nepal as per direction and to the full satisfaction of OIC.

1. All necessary accessories required during installation fire extinguishers shall be arranged & provided by Supplier.
2. No material T&P and labour etc. will be issued/provided by SAPDC.
3. The contractor shall be fully responsible for any kind of Damage to fire extinguishers during the transportation and installation process.
4. **(i) Material/Goods to be supplied for Tumlingtar, Dovan , Phaksinda, Pukhuwa:-**

Sr.No.	Description of item	Capacity	Unit	Qty.
1(a)	ABC Type Fire Extinguishers	4 Kg	Nos.	89
1(b)	ABC Type Fire Extinguishers	6 Kg	Nos.	11
1(c)	ABC Type Fire Extinguishers	9 Kg	Nos.	3
2(a)	CO ₂ Type Fire Extinguishers	2 Kg	Nos.	37
2(b)	CO ₂ Type Fire Extinguishers	5 Kg	Nos.	4
3(a)	Foam Type Fire Extinguishers	9 Ltr.	Nos.	5

- (ii) Material/Goods to be supplied for Janakpur office:-**

Sr.No.	Description of item	Capacity	Unit	Qty.
1.	ABC Type Fire Extinguishers	4 Kg	Nos.	6
2.	ABC Type Fire Extinguishers	6 Kg	Nos.	1
3.	ABC Type Fire Extinguishers	9 Kg	Nos.	1
4.	CO ₂ Type Fire Extinguishers	2 Kg	Nos.	1

FORM OF DECLARATION

M/s-----(**name of Bidder/Supplier**) having its registered office at ----- (hereinafter referred to as ‘the Bidder/Supplier’) having carefully studied all Terms and conditions, scope of work & Technical specifications, BOQ etc. and all corrigendum(if any) pertaining to the **“Supply, transportation, fixing and demonstration of fire extinguishers in office and residential building of SAPDC at Tumlingtar, Dovan , Phaksinda, Pukhuwa & Janakpur in Nepal (PPR-95)”** the local and site conditions and having undertaken to execute the said works.

DO HEREBY DECLARE THAT:

1. The Bidder is familiar with all the requirements of the Contract.
2. The Bidder has not been influenced by any statement or promise of any person of the Employer but only the Contract conditions.
3. The Bidder undertakes that the information furnished in the Bid is true and correct in all respects.
4. The Bidder undertakes that all the documents uploaded along with the NIQ have been read and there is no deviation from the terms and conditions of the NIQ including Corrigendum/Addendum (if any).

Date:

For and on behalf of the bidder /Supplier

.....

(Signature of authorized representative of the Bidder/Supplier, along with his name, Seal of Company)

BANK ACCOUNT DETAILS

Sr.No	Particulars	#To be filled by bidder(s)
1.	Name of Bidder as per Bank record	
2.	Bank account number	
3.	Bank name	
4.	Branch address	

#Copy of cancelled cheque may also be attached