

एसजेवीएन अरुण-३
पावर डेवलपमेण्ट कम्पनी (प्रा.) लि.
(भारत सरकार र हिमाचल सरकारको संयुक्त कम्पनी,
एसजेवीएन लिमिटेड बाट स्थापित कम्पनी)



SJVN Arun-3
Power Development Company (P.) Ltd.
(A company promoted by SJVN limited,
joint venture of Govt. of India and Govt. of H.P.)

Ref.No.: SAPDC/CE (P&C)/PPR-92 /2019-155

Dated: 23.10.2019

NOTICE INVITING QUOTATIONS (NIQ)

Sealed quotations are herewith invited by SJVN Arun-3 Power Development Company Pvt. Ltd. (SAPDC/Employer) from the eligible bidder/suppliers of Nepal for “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)” as per the details provided here-in-below:-

Sr. No.	Description	Remarks
1.	Bill of Quantities (BOQ)	Refer <i>Annexure 'A'</i>

TERMS & CONDITIONS (T&C):

- The bidder must submit the bid in the following two separate sealed envelopes clearly indicating the contents therein duly super scribed as under and these two envelopes should be enclosed in a single sealed envelope/cover super scribed as “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)” and submitted at the address of the undersigned and must reach this office through courier or by post or by hand on or before 14.11.2019 by 15:00 Hrs. and same shall be opened on 15.11.2019 at 16:00 Hrs. in presence of authorized representative of firms who choose to attend.

PART-I (Envelope-1):-

- Earnest Money Deposit (EMD) (as per Sr. No 8).
- The firm shall submit PAN/VAT/company registration certificate.
- Form of declaration.

PART-II (Envelope-2):-

Price bid: -

Comprising of Price Bid at Annexure-A i.e., duly filled, signed and stamped in Bill of Quantities (BOQ).

The bid shall be opened in the following sequence:

- First, the envelope Part-I shall be opened.
- Part –II (Price Bid) shall be opened on same day if no clarification is required from the Bidder(s). In case clarification is sought from any Bidder(s), separate intimation shall be given for opening of Price Bids.

2. The technical specification of the offered make/brand of item(s) shall be equivalent or higher than the specifications mentioned in BOQ (Annexure-A) and Make/Brand/Model should be in accordance with BOQ (Annexure-A).

3. No material and T&P will be issued by SAPDC.

4. Delivery of Period :- Delivery of material is required to be made within 60 days from the date of issue of supply order.

5. Bid Validity: The bid (s) shall be valid for 90 days from opening of bid (s).

6. Prices: The supplier/bidder shall offer rates & prices “on Firm Price Basis”. The quoted rates shall be inclusive of VAT, all other taxes & duties, transportation, transit insurance, loading & unloading and SAPDC shall not bear anything extra on this account. Any statutory variation in the rate of taxes after the last date of submission of bid(if any),during the currency of the contract including extension thereof shall be reimbursed /adjusted on production of documentary proof.

Rates should be filled in both figures and words. In case of ambiguities in between the rate in figures and the rate in words, the rate quoted in words shall prevail and the amount shall be corrected accordingly. The SAPDC reserves the right to adjust arithmetical or other errors in any tender/quotation in the way which it considers suitable.

7. Payment: The payments will be made in the following manner:

Payment of 95% of the bill against receipt of material/goods in full quantity & in good condition & inspection report issued by Engineer-in-Charge(EIC)/Officer-in-Charge (OIC) for the actual supplied quantity, shall be made within 15 days of receipt of bill complete in all respect. Remaining Five percent (5%) amount of the bill shall be retained by SAPDC which shall be released after completion of Guarantee/warranty period of 12 months. No interest shall be paid on the retained amount.

8. Earnest Money Deposit (EMD):

- a. Earnest Money amounting to NPR 19,000/- shall be submitted in the shape of Bank Draft/Manager Cheque/FDR(duly pledged in favour of SAPDC) /Bank Guarantee in favour of SJVN Arun-3 Power Development Company Pvt. Ltd.(SAPDC), payable at Khandbari.
- b. EMD of the bidder shall be forfeited, if the bidder withdraws or amends its bid or impairs or derogates from the bid in any respect within the period of validity of the bid.
- c. EMD of the bidder shall be forfeited, in the event of non-compliance of supply order including non -supply etc. by the successful bidder.
- d. The EMD of unsuccessful bidders shall be released without any interest after the issuance of supply order and the EMD of the successful bidder shall be released after one month from the receipt of completion of assignment to the satisfaction of OIC.
- e. The Earnest Money of unsuccessful bidders will be returned within 15 days of the award of supply order to the successful bidder.
- f. The EMD shall be valid for 120 days beyond the last date of submission of bids.
- g. No interest shall be payable by SAPDC on EMD.

- 9. Award Criteria:** The bid shall be evaluated on Item rate basis and the award shall be made based on the lowest rate quoted by the Bidder/Supplier for particular Item(s) as per Annexure-A in the Bill of Quantities.
- 10. Liquidated Damages (LD):** In case of delayed delivery, LD @ 0.5% of contract price per day of delay in completion shall be levied subject to maximum of 5% of the contract price. In case the supplier fails to supply the material within 70 days from the date of issue of supply order, SAPDC reserves the right to terminate the supply order and bid security / EMD shall be forfeited.
- 11. Force Majeure:** The term "Force Majeure" shall herein mean riots (other than among the Vendor's employees), Civil Commotion (to the extent not insurable), war (whether declared or not), invasion, act of foreign enemies, hostilities, civil war, rebellion, revolution, insurrection, military or usurped power, damage from aircraft, nuclear fission, acts of God, such as earthquake (above 7 magnitude on Richter Scale), lightning, unprecedented floods, fires not caused by Vendor's negligence and other such causes over which the Vendor has no control and are accepted as such by the Engineer-in-Charge, whose decision shall be final and binding. In the event of either party being rendered unable by Force Majeure to perform any obligation required to be performed by them under this contract, the relative obligation of the party affected by such Force Majeure shall be treated as suspended for the period during which such Force Majeure cause lasts, provided the party alleging that it has been rendered unable as aforesaid, thereby shall notify within 10 days of the alleged beginning and ending thereof giving full particulars and satisfactory evidence in support of such cause. Extension of time without levy of LD shall be provided during the period of occurrence of Force Majeure event, however no cost compensation shall be provided.
- 12. Packing:** The supplier, wherever applicable shall properly pack and stack all materials/goods in such a manner as to protect them from deterioration and damage during transportation. The supplier shall be responsible for all damage due to improper packing.
- 13. Inspection:** Inspection of the material shall be carried out by EIC/OIC or his authorized representative of at Store, SAPDC, Tumlingtar. EIC/OIC shall ensure the technical specification(s), make/brand/model supplied item(s) is/are as per BOQ (Annexure-A).
- 14. Replacement:** If the items/ equipments or any portion thereof is damaged or lost during transit, SAPDC shall give notice to the supplier setting forth particulars of such items/ equipments damaged or lost during transit. The replacement of such items/ equipments shall be effected by the supplier within a reasonable time to avoid unnecessary delay in the intended usage of the materials free of cost to the SAPDC.
- 15. Rejection:** In the event that any of the items/ equipments supplied by the supplier is found defective in material or workmanship or otherwise not in conformity with the specification, SAPDC shall either reject the items/ equipments or request the supplier in writing to rectify the same. The supplier, on receipt of such notification shall either rectify or replace the defective items/ equipments free of cost to the SAPDC.

16. Demurrage, Wharfage etc.: All demurrage, wharfage and other expenses incurred due to delayed clearance of the items/ equipments or any other reason shall be on the account of the supplier.

17. Guarantee/Warranty: Guarantee/Warranty(if applicable) shall be minimum for 12 months or as per the Policy of Original Equipment Manufacturer (OEM), whichever is higher. In case of any complaint/repair required during Warranty/Guarantee period, the vendor will respond within two days and ensure rectification within one week's time from the date of lodging of complaint. The supplier shall either rectify or replace the defective items/ equipments free of cost to SAPDC within Guarantee/Warrantee period.

18. Consignee: The material/ goods under this Contract shall be dispatched to the Consignee at the following address:-

**HOD (Store),
Satluj Bhawan, Arun Sadan,
SAPDC, Tumlingtar,
Distt. Sankhuwasabha, Nepal.
(Mobile No.: 9851214190)
Email: store.sapdc@gmail.com, wntstores.sapdc@gmail.com**

19. For any enquiry/clarification for submission of bid and any other information, the Bidders may contact to:-

Name	Designation	Contact No.	Address
Er. Vivek Sharma	Chief Engineer (P&C)	Mob.:- 9852058517	Satluj Bhawan, Arun Sadan, SAPDC, Tumlingtar, Distt. Sankhuwasabha, Nepal.

20. Resolution of Dispute: In case of any dispute or difference that arises out of the subject cited supply, the same shall be referred to the Sole Arbitrator, who shall be appointed by the CEO, Arun-3HEP, SAPDC, Tumlingtar. The award of the arbitrator shall be final and binding on both the parties.

Courts of Chainpur (Nepal) shall have exclusive Jurisdiction for adjudication upon the dispute arising out of the subject cited supply between the parties.

21. Corrigendum/Addendum, if any to NIQ shall be uploaded only on <http://sjvn.nic.in/tender.htm> & <http://www.sapdc.com.np/pages/tender>.

22. SAPDC reserves the right to reject any or all the tenders without assigning any reason thereof.

For & on the behalf of SAPDC

Sd/-

**Chief Engineer (P&C)
Satluj Bhawan, Arun Sadan,
SAPDC, Tumlingtar,
Distt. Sankhuwasabha, Nepal
Ph. +977-29-575154,**

E-mail Address: pnc.sapdc@gmail.com

BILL OF QUANTITIES (BOQ)

<u>Name of Work:</u> “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”								
Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
1.	Add on Block Specification:- Add on Block 02 NO + 02 NC, Front Mounted	No.	5	C&S (TAI DN22)				
2.	Auxiliary Contact Specification:- Auxiliary Contact 10A, 415V AC, Side Mounted	No.	5	L&T (MNX-A6)				
3.	Add on block Specification:- Add on Block 10A, 415V AC, 02 NO + 02 NC, Front Mounted	No.	5	L&T (MNX-A1)				
4.	Cable Tie, 80 mm Specification:- Cable Tie, 80X2.5mm, Standard Nylon Cable Tie, White colour	Pkt. (100 Pcs/Pkt)	10	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
5.	Cable Tie, 100 mm Specification:- Cable Tie, 100X2.5mm, Standard Nylon Cable Tie, White colour	Pkt. (100 Pcs/Pkt)	10	Reputed/ Standard				
6.	Cable Tie, 150 mm Specification:- Cable Tie, 150X3.6mm, Standard Nylon Cable Tie, White colour	Pkt. (100 Pcs/Pkt)	10	Reputed/ Standard				
7.	Cable Tie, 200 mm Specification:- Cable Tie, 200X4.8mm, Standard Nylon Cable Tie, White colour	Pkt. (100 Pcs/Pkt)	10	Reputed/ Standard				
8.	Cable Tie, 300 mm Specification:- Cable Tie, 300X4.8mm, Standard Nylon Cable Tie, White colour	Pkt. (100 Pcs/Pkt)	10	Reputed/ Standard				
9.	Contactora, 4P, 325A Specification:- Contactora, 4P, 325 A, 440 V, 50 Hz, Coil Voltage- 240V AC	No.	1	L&T (MCX 41)				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
10.	Coil for Contactor MCX 41 Specification:- Coil, 50 Hz, 240V AC, Compatible with MCX 41 contactor	No.	2	L&T				
11.	Contactor, 3P, 16A Specification:- Contactor, 3P, 16 A, 440V AC, 50 HZ, Coil Voltage-240V AC	No.	5	C&S (TC1-D2510)				
12.	Coil for Contactor TC1-D2510 Specification:- Coil for Contactor TC1-D2510, 50 Hz, 240V AC	No.	5	C&S (U5)				
13.	Contactor, 4P, 130A Specification:- Contactor, 4P, 130A, 440V AC, Coil Voltage-240V AC	No.	5	L&T (MCX 23)				
14.	Coil for Contactor MCX 23 Specification:- Coil for Contactor MCX 23, 50 Hz, 240V AC	No.	5	L&T				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
15.	Contact Kit for Contactor MCX 23 Specification:- Contact Kit for Contactor MCX 23	Set.	5	L&T				
16.	Control Relay Specification:- Control Relay, 2NO+2NC, 10A, Operating voltage of coil - 240V AC	No.	5	C&S (TCA2 DN22)				
17.	Coil for Control Relay TCA2 DN22 Specification:- Coil for Control Relay TCA2 DN22, 50 Hz, 240V AC	No.	5	C&S(U5)				
18.	Coil for Control Relay 22E MXO Specification:- Coil for Control Relay 22E MXO, 50 Hz, 240V AC	No.	2	L&T				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
19.	Power Cable, 6 mm ² Specification:- Power Cable, 6 mm ² , PVC Insulated, Single core, Multistrand Flexible Copper Conductor, 1100V AC, Black Colour	Roll (90mtr/ Roll)	1	Anchor/Havells/ Rathi/Premier				
20.	Power Cable, 10 mm ² Specification:- Power Cable, 10 mm ² , PVC Insulated, Single core, Multistrand Flexible Copper Conductor, 1100V AC, Black Colour	Roll (90mtr/ Roll)	1	Anchor/Havells/ Rathi/Premier				
21.	Power Cable, 16 mm ² Specification:- Power Cable, 16 mm ² , PVC Insulated, Single core, Multistrand Flexible Copper Conductor, 1100V AC, Black Colour	Mtr.	50	Anchor/Havells/ Rathi/Premier				
22.	Power Cable, 25 mm ² Specification:- Power Cable, 25 mm ² , PVC Insulated, Single core, Multistrand Flexible Copper Conductor, 1100V AC, Black Colour	Mtr.	50	Anchor/Havells/ Rathi/Premier				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
23.	Power Cable, 35 mm ² Specification:- Power Cable, 35 mm ² , PVC Insulated, Single core, Multistrand Flexible Copper Conductor, 1100V AC, Black Colour	Mtr.	50	Anchor/Havells/ Rathi/Premier				
24.	Crimping Tool Specification:- Crimping Tool, Range 1.5mm ² to 10mm ²	No.	2	Reputed/ Standard				
25.	CT (Bus Bar) Specification:- CT, Bus Bar Size 25X10mm, Aluminium, 100A/5A, Round, Max. outer dia - 70mm, Compatible with Multifunction Meter WL 4400 (L&T).	No.	3	Reputed/ Standard				
26.	CT for 62.5 KVA DG Controller panel Specification:- CT for 62.5 KVA DG Controller panel, 100/5A, 5VA, CL-1.0	No.	3	NEWTEK (NEMR21)				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
27.	CT For O/L Relay Specification:- CT For O/L Relay, 100A/5A, 10VA, Panel Mounted, Compatible with O/L Relay BOCRSS-05S (BCH)	No.	3	Matrix (Standard)				
28.	Din Rail Specification:- Din Rail, 35mm X 7.5 mm	Mtr.	10	Reputed/ Standard				
29.	Emergency Switch, Red Colour Specification:- Emergency Switch, Red Colour, Mushroom Head Push Button Stay Put (Press to lock and Turn to release) with 01 NC Block	No.	2	C&S/L&T (Standard)				
30.	LED Pilot Lamp, Red colour Specification:- LED Pilot Lamp, Red colour, 22.5 mm dia, 240V AC, 50 Hz	No.	5	C&S/L&T (Standard)				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
31.	LED Pilot Lamp, Yellow colour Specification:- LED Pilot Lamp, Yellow colour, 22.5 mm dia, 240V AC, 50 Hz	No.	5	C&S/L&T (Standard)				
32.	LED Pilot Lamp, Blue colour Specification:- LED Pilot Lamp, Blue colour, 22.5 mm dia, 240V AC, 50 Hz	No.	5	C&S/L&T (Standard)				
33.	LED Pilot Lamp, Green colour Specification:- LED Pilot Lamp, Green colour, 22.5 mm dia, 240V AC, 50 Hz	No.	5	C&S/L&T (Standard)				
34.	Lugs copper, 1.5mm ² , Ring Type Specification:- Lugs copper, 1.5mm ² , Ring Type, Standard copper lugs with single hole	No.	100	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
35.	Lugs copper, 2.5mm ² , Ring Type Specification:- Lugs copper, 2.5mm ² , Ring Type, Standard copper lugs with single hole	No.	100	Reputed/ Standard				
36.	Lugs copper, 4mm ² , Ring Type Specification:- Lugs copper, 4mm ² , Ring Type, Standard copper lugs with single hole	No.	100	Reputed/ Standard				
37.	Lugs copper, 6mm ² , Ring Type Specification:- Lugs copper, 6mm ² , Ring Type, Standard copper lugs with single hole	No.	100	Reputed/ Standard				
38.	Lugs copper, 10mm ² , Ring Type Specification:- Lugs copper, 10mm ² , Ring Type, Standard copper lugs with single hole	No.	100	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
39.	Lugs copper, 16mm ² , Ring Type Specification:- Lugs copper, 16mm ² , Ring Type, Standard copper lugs with single hole	No.	100	Reputed/ Standard				
40.	Lugs copper, 25mm ² , Ring Type Specification:- Lugs copper, 25mm ² , Ring Type, Standard copper lugs with single hole	No.	50	Reputed/ Standard				
41.	Lugs copper, 35mm ² , Ring Type Specification:- Lugs copper, 35mm ² , Ring Type, Standard copper lugs with single hole	No.	50	Reputed/ Standard				
42.	Lugs copper, 1.5mm ² , Pin Type Specification:- Lugs copper, 1.5mm ² , Pin Type, Standard copper lugs	No.	100	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
43.	Lugs copper, 2.5mm ² , Pin Type Specification:- Lugs copper, 2.5mm ² , Pin Type, Standard copper lugs	No.	100	Reputed/ Standard				
44.	Lugs copper, 1.5mm ² , U-Type Specification:- Lugs copper, 1.5mm ² , U-Type, Standard copper lugs	No.	100	Reputed/ Standard				
45.	Lugs copper, 2.5mm ² , U-Type Specification:- Lugs copper, 2.5mm ² , U-Type, Standard copper lugs	No.	100	Reputed/ Standard				
46.	Lugs Aluminium, 25mm ² , Ring Type Specification:- Lugs Aluminium, 25mm ² , Ring Type, Standard Aluminium lugs with single hole	No.	50	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
47.	Lugs Aluminium, 35mm ² , Ring Type Specification:- Lugs Aluminium, 35mm ² , Ring Type, Standard Aluminium lugs with single hole	No.	50	Reputed/ Standard				
48.	Lugs Aluminium, 50mm ² , Ring Type Specification:- Lugs Aluminium, 50mm ² , Ring Type, Standard Aluminium lugs with single hole	No.	50	Reputed/ Standard				
49.	Lugs Aluminium, 70mm ² , Ring Type Specification:- Lugs Aluminium, 70mm ² , Ring Type, Standard Aluminium lugs with single hole	No.	50	Reputed/ Standard				
50.	Lugs Aluminium, 95mm ² , Ring Type Specification:- Lugs Aluminium, 95mm ² , Ring Type, Standard Aluminium lugs with single hole	No.	50	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
51.	Lugs Aluminium, 120mm ² , Ring Type Specification:- Lugs Aluminium, 120mm ² , Ring Type, Standard Aluminium lugs with single hole	No.	50	Reputed/ Standard				
52.	MCB, 4P, 20A Specification:- MCB, 4P, 20A, Din rail mounted	No.	5	L&T (Standard)				
53.	MCCB, TPN, 125A Specification:- MCCB, TPN, 125A, Panel Mounted, CAT-A	No.	5	L&T (DNO-125D)				
54.	MCCB, TP, 100A Specification:- MCCB, TP, 100A, Panel Mounted, CAT-A	No.	5	L&T (DU100)				
55.	MCCB, TPN, 250A Specification:- MCCB, TPN, 250A, Panel Mounted, CAT-A	No.	5	L&T (DU250)				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
56.	MCCB, TP, 16A Specification:- MCCB, TP, 16A, Panel Mounted, CAT-A	No.	5	L&T (DU100)				
57.	MCCB, TP, 25A Specification:- MCCB, TP, 25A, Panel Mounted, CAT-A	No.	5	L&T (DU100)				
58.	MCCB, TP, 50A Specification:- MCCB, TP, 50A, Panel Mounted, CAT-A	No.	5	L&T (DU100)				
59.	MCCB, TP, 40A Specification:- MCCB, TP, 40A, Panel Mounted, CAT-A	No.	5	L&T (DU100)				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
60.	MCCB, TP, 63A Specification:- MCCB, TP, 63A, Panel Mounted, CAT-A	No.	5	L&T (DU100)				
61.	Panel Light Specification:- Panel Light, 240V AC, 50 Hz with switch, Panel Mounting	No.	5	Reputed/ Standard				
62.	Push Button, Red colour Specification:- Push Button, Red colour, 22.5mm dia With 01 NC Block,10A	No.	5	Reputed/ Standard				
63.	Push Button, Green colour Specification:- Push Button, Green colour. 22.5 mm dia With 01 NO Contact, 10A	No.	5	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
64.	PVC Insulation Tape Specification:- PVC Insulation Tape, (20X18X0.18)mm, Red ,Blue, Yellow, Black and Green Colours	Roll (20mtr/ Roll)	50	Anchor/Steel grip or Equivalent				
65.	Relay, 2 Pole, with Relay Base Specification:- Relay, 2 Pole, with Relay Base, Plug-in type Enclosed version with LED indication, 2P, 10A, Coil voltage-240V AC, 50 Hz, Din Rail Mounting	No.	10	salzer (MKG)				
66.	Relay, 2 Pole, with Relay Base Specification:- Relay, 2 Pole, with Relay Base, Plug-in type Enclosed version with LED indication, 2P, 5A, Coil voltage-12V DC, Din Rail Mounting	No.	10	Salzer (MKG)				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
67.	Rotary Switch Specification:- Rotary Switch (Auto/Manual), 10A	No.	5	Kaycee (2S26BO)				
68.	Two Way Selection Switch Specification:- Two way selection Switch (ON/OFF), 10A	No.	5	Reputed/ Standard				
69.	Electronics Timer (ON Delay) Specification:- Electronics Timer (ON Delay), 3Sec-30Hours, 240V AC, 50 Hz, 5A, 1 C/O, Din Rail Mounting, with power ON and Relay ON indication	No.	1	GIC series micon 175 (120DT4)				
70.	Toggle Switch Specification:- Toggle Switch, ON/OFF, Two position, 10A, 240V AC, DG set Panel Mounting	No.	5	Reputed/ Standard				

Name of Work: “Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”

Item No.	Item with Specifications	Unit	Qty.	Make and (Model)	Offered make/brand to be mentioned by bidder	Rate (NPR) including VAT		Amount (NPR) including VAT
						In Figures	In Words	
71.	SMPS Battery Charger Specification:- SMPS Battery Charger, Input:140-265V AC, Output: 13.8V DC, 10A, Features: UV/OV, Short CKT., Temp. Cut.	No.	2	Bps (PCS-1210)				
72.	Multifunction Meter Specification:- Multifunction Meter, (96X96)mm, Digital panel meter, Input voltage:50- 520V AC, Current: 0.05- 5A, 5A/1A, Aux. supply: 50-300V AC.	No.	2	L&T (WL4400)				
Total amount (NPR) Including VAT								

Date: -

Place:

Bidders Name and Signature along with seal

-

FORM OF DECLARATION

M/s------(name of Bidder/Supplier) having its registered office at ----- (hereinafter referred to as ‘the Bidder/Supplier’) having carefully studied all Terms and conditions, scope of work & Technical specifications, BOQ etc. and all corrigendum(if any) pertaining to the **“Supply and transportation of spares for Electrical Control and Distribution Panels of 62.5 KVA X 2 DG Set installed at Tumlingtar and Phaksinda (Dam Site) of SAPDC Arun-3 HEP, Nepal (PPR-92)”** the local and site conditions and having undertaken to execute the said works.

DO HEREBY DECLARE THAT:

1. The Bidder is familiar with all the requirements of the Contract.
2. The Bidder has not been influenced by any statement or promise of any person of the Employer but only the Contract conditions.
3. The Bidder undertakes that the information furnished in the Bid is true and correct in all respects.
4. The Bidder undertakes that all the documents uploaded along with the NIQ have been read and there is no deviation from the terms and conditions of the NIQ including Corrigendum/Addendum (if any).

Date:

For and on behalf of the bidder /Supplier

.....

(Signature of authorized representative of the Bidder/Supplier, along with his name, Seal of Company)