

एसजेवीएन अरूण-3 पावर डवलपमेंट कंपनी प्रा. लि.
SJVN Arun-3 Power Development Company Pvt. Ltd.

(एसजेवीएन की पूर्ण स्वामित्व वाली अधीनस्थ कंपनी)

(A wholly owned subsidiary of SJVN)

900 मेगावाट अरूण-3 जलविद्युत परियोजना
900 MW Arun-3 Hydro Power Project
Regd. No.: 111808/69/070



Ref. No.: SAPDC/P&C/Arun-3 HEP/PPR-147/2023-193

Dated: 31.03.2023

NOTICE INVITING QUOTATIONS (NIQ)

Sealed quotations are herewith invited by SJVN Arun-3 Power Development Company Pvt. Ltd. (SAPDC/Employer) from the eligible Bidder/Suppliers of Nepal for “**Supply & Transportation of Various Electrical Spares at SAPDC Office Complex Tumlingtar, Distt Sankhuwasabha Nepal, as per Technical Specification at Annexure-B & as per Scope of work at Annexure-C.** (PPR-147/2023)” as per the details provided here-in-below: -

Sr. No.	Description	Remarks
1.	Bill of Quantities (BOQ)	Refer Annexure 'A'
2.	Technical Specifications	Refer Annexure 'B'
3.	Scope of work	Refer Annexure 'C'
4.	Form of declaration	Refer Annexure 'D'
5.	Bank Account Details	Refer Annexure 'E'

TERMS & CONDITIONS (T&C):

1. Minimum Qualifying Requirements:

- The firm/bidder should be manufacturer/authorized distributor/authorized supplier/authorized reseller for item(s) of BOQ for which Bidder is submitting the bid. In addition to above, the suppliers who deals in electrical equipments, electronic equipments etc. can also participate in bidding subject to furnishing of a certificate from authorized supplier/reseller/ manufacturer for this particular work/assignment/contract. Further, authorization i.r.o item(s) for which Reputed Make/Brand has been allowed may not required.
- The technical specification of the offered Make/Brand/model of item (s) shall be equivalent or higher than the specifications mentioned under Technical Specifications (Annexure-B). Further offered make/Brand shall be as per BOQ (Annexure-A).

2. Submission of Bid:-

The bidder must submit the bid in the following **two separate sealed envelopes {PART-I (Envelope-1) & PART-II (Envelope-2)}** clearly indicating the contents therein duly super scribed as under and these two envelopes should be enclosed in a single sealed envelope/cover super scribed as “Supply & Transportation of Various Electrical Spares at SAPDC Office Complex Tumlingtar, Distt Sankhuwasabha Nepal, as per Technical Specification at Annexure-B & as per Scope of work at Annexure-C.(PPR- 147/2023)” and submitted at the address of the undersigned and must reach this office through courier or by post or by hand on or before **21.04.2023 by 1500 Hrs.** and same shall be opened on

23.04.2023 at 16:30 Hrs. in presence of authorized representative of firms who choose to attend.

Further, In the “Techno-Commercial” part *{i.e in PART-I (Envelope-1)}* of the bid the bidder shall not give any indication about the bid price in any manner whatsoever. Non-compliance of this provision may result in the rejection of bid.

PART-I (Envelope-1):-

- i. Original Earnest Money Deposit (EMD) (as per Sr. No.9).
- ii. The firm shall submit PAN/VAT/Registration certificate.
- iii. Authorization certificate supporting with requisite Documents for meeting out criteria laid down at Sr. No. 1.a. above. Further, authorization i.r.o item(s) for which reputed Make/Brand has been allowed may not required.
- iv. Bidder shall submit the Undertaking for Compliance of minimum Technical Specification of the item(s) for which rates have been quoted, for meeting out criteria laid down at Sr. No. 1.b. above by the duly filled with YES/NO/Mentioning the corresponding specifications in the Undertaking for Compliance of minimum Technical Specifications at Annexure-B. Further, Deviation, if any considered by the bidder as per Annexure-B, then the same shall be examined by the Indenting Department of SAPDC in line with technical specification whether the same is acceptable or not. In case of non-acceptance by the Indenting Department of SAPDC the bid may be rejected. Further, Annexure-B shall be made the part of Supply order/LOA. **Further, bidder shall also mention the name of offered make/brand in the table-1 under Annexure-B**
- v. Duly filled in & signed ‘Form of declaration’ as per Annexure-D.
- vi. Bank Account Details as per Annexure-E.

PART-II (Envelope-2):-

Price bid:- Comprising of Price Bid at Annexure-A i.e., duly filled, signed and stamped in Bill of Quantities (BOQ).

3. Opening of Bid:-

The bid shall be opened in the following sequence:-

- i. First, the envelope Part-I shall be opened.
Part –II (Price Bid) of responsive bidder(s) shall be opened on same day, if no clarification is required from the firm(s)/agency(ies). In case clarification is sought from the firm(s)/agency(ies), separate intimation shall be given through notification on the websites for opening of Price Bid(s) of responsive bidder(s).
4. No material and T&P will be issued by SAPDC.
5. **Completion period:** Completion period shall be 45 days to be reckoned from date of issuance from Supply Order/Letter of Acceptance (LOA) including Supply & transportation etc. complete in all respect as per scope of work.
6. **Bid Validity:** The bid (s) shall be valid for 90 days from the opening of bid(s).
7. **Prices:-**
 - i. The Bidder/Suppliers shall offer rates & prices “on Firm Price Basis”.
 - ii. The quoted rates for item(s) shall be including all taxes & duties Including VAT & Supply, transportation etc. charges complete in all respect as per scope of work. SAPDC shall not bear anything extra on this account.

- iii. Any statutory variation in the rate of taxes after the last date of submission of bid (if any), during the currency of the contract including extension thereof shall be reimbursed/adjusted on production of documentary proof.
 - iv. Rates and Offered discount (if any) should be filled in both figures and words. In case of ambiguities in between the rate/ Offered discount in figures and the rate/ Offered discount in words, the rate/Offered discount quoted in words shall prevail and the amount shall be corrected accordingly. The SAPDC reserves the right to adjust arithmetical or other errors in any tender/quotation in the way which it considers suitable.
 - v. Further, only unconditional discount offered at appropriate place in the BOQ shall only be considered for evaluation of the bid, discount offered at any other place or in any other document/letter submitted by the bidder along with the bid shall not be considered for the purpose of evaluation as well as award. Further, the bidder shall quote rate and amount inclusive of VAT, any other charges/taxes/VAT mentioned at any other place/document/letter by the bidder/supplier shall also for not be considered evaluation as well as award.
 - vi. The percentage (%) offered discount should be filled in both figures and words. However, if bidder will not Offered any discount on their quoted rate i.r.o any/all item(s) of Bill of Quantities (BOQ) at Annexure-A then the bidder must mention as Nil.
8. **Payment:** The payments will be made in the following manner:
- (i) 95% Payment of the contract price shall be made after the receipt of item(s)/material/good(s) in full quantity & in good condition, on submission of bill and inspection report issued by Officer-in-Charge (OIC).
 - (ii) Balance Five percent (5%) amount of the contract price shall be retained by SAPDC which shall be released after completion of Guarantee/Warranty period reckoned from the supply of item(s)/material/goods upon recommendation and submission of satisfactory performance certificates by OIC. No interest shall be payable on the retained amount.
9. **Earnest Money Deposit (EMD):**
- a. Earnest Money Deposit (EMD) amounting to **NPR 26,000/-** shall be submitted in the shape of **Bank Draft** (in original)/**Manager Cheque** (in original)/**FDR** (in original) (duly pledged in favour of SAPDC-NPR CONSTRUCTION ACCOUNT) in favor of SAPDC-NPR CONSTRUCTION ACCOUNT payable at Kandhari.
Any bid not accompanied by an acceptable Earnest Money Deposit shall be declared non-responsive and outrightly rejected by the Employer and their Part-II (Price Bid) bid shall not be opened.
 - b. EMD of the bidder shall be forfeited:
 - i. If bid withdrawn or amends its bid or impairs or derogates from the bid in any respect in the interval between the bid submission deadline and the expiration of the bid validity period.

or
 - ii. Adopts corrupt or fraudulent practices

or

iii. Does not accept the correction of the Bid Price.

or

iv. EMD of the successful bidder(s)/supplier(s) shall be forfeited, in the event of non-compliance of Supply Order/Letter of Acceptance (LOA) and in this event forfeited amount shall be 2% of the contract price/awarded amount of the respective successful bidder(s)/supplier(s).

- c. Bidder may modify or amends its bid or withdraw its bid after submission and before the prescribed deadline for bid submission.
- d. The EMD of unsuccessful bidders shall be released within 28 days without any interest after the issuance of Letter of Acceptance of successful bidder.
- e. The EMD of the successful bidder shall be released within 28 days on the recommendation of Consignee after the receipt of inspection report issued by OIC.
- f. No interest shall be payable by SAPDC on EMD

10. **Award Criteria:**

- (i) The bid shall be evaluated on Item wise basis and the award shall be made based on the lowest evaluated rate/Amount quoted by the Bidder/Supplier for particular item(s) as per Annexure-A in the Bill of Quantities.
- (ii) If, Bidder(s) quote Zero/Nil/left Blank/(-) rate(s) against any item(s) of BOQ then it will be presumed that bidder(s) has/have not quoted for those item(s) and is not willing to supply those item(s). In that case those item(s) may be awarded to other bidder(s) on their lowest evaluated rate(s).

11. **Liquidated Damages (LD):** In case of delayed delivery, LD @ 0.44% of contract price per day of delay in completion shall be levied subject to maximum of 5% of the contract price (cumulative or individual LD in terms of clause at Sr.No.11 & at Sr.No.15).

In case the supplier fails to supply the material within 57 days from the date of issue of supply order, SAPDC reserves the right to terminate the supply order and EMD shall be forfeited and the forfeited amount shall be as per clause 9b (iv) of NIQ.

12. **Clause deleted without change in Serial No.**

13. **Force Majeure:** The term "Force Majeure" shall herein mean riots (other than among the Vendor's employees), Civil Commotion (to the extent not insurable), war (whether declared or not), invasion, act of foreign enemies, hostilities, civil war, rebellion, revolution, insurrection, military or usurped power, damage from aircraft, nuclear fission, acts of God, such as earthquake (above 7 magnitude on Richter Scale), lightning, unprecedented floods, fires not caused by Vendor's negligence and other such causes over which the Vendor has no control and are accepted as such by the Officer-in-Charge (OIC), whose decision shall be final and binding. In the event of either party being rendered unable by Force Majeure to perform any obligation required to be performed by them under this contract, the relative obligation of the party affected by such Force Majeure shall be treated as suspended for the period during which such Force Majeure cause lasts, provided the party alleging that it has been rendered unable as aforesaid,

thereby shall notify within 10 days of the alleged beginning and ending thereof giving full particulars and satisfactory evidence in support of such cause.

Extension of time without levy of LD shall be provided during the period of occurrence of Force Majeure event, however no cost compensation shall be provided.

14. **Packing:** The supplier, wherever applicable shall properly pack and stack all materials/goods in such a manner as to protect them from deterioration and damage during transportation. The supplier shall be responsible for all damage due to improper packing.
15. **Replacement:** If the material/goods or any portion thereof is damaged or lost during transit, SAPDC shall give notice to the supplier setting forth particulars of such material/goods damaged or lost during transit. The replacement of such material/goods shall be effected by the supplier within 23 days (reckoned from the date of notice given by SAPDC to the supplier), to avoid unnecessary delay in the intended usage of the materials free of cost to the SAPDC.
Further, if replacement shall not be made within the above said time, then the additional LD @ 0.44% of contract price per day of delay shall be levied.
The levied LD shall be subject to maximum of 5% of the contract price (cumulative or individual LD in terms of clause at Sr.No.11 & at Sr.No.15)
16. **Rejection:** In the event that any of the material/goods supplied by the supplier is found defective in material or workmanship or otherwise not in conformity with the specification, SAPDC shall either reject the material/good(s)/Item(s) or request the supplier in writing to rectify/replace the same. The supplier, on receipt of such notification shall rectify/replace (As directed by the OIC/EIC) the defective material/good(s)/item(s) free of cost to the SAPDC. Decision of OIC/EIC (SAPDC) shall be final and binding on the supplier(s).
17. **Demurrage, Wharfage etc.:** All demurrage, wharfage and other expenses incurred due to delayed clearance of the material/goods or any other reason shall be on the account of the supplier.
18. **Guarantee/Warranty:** Guarantee/Warranty shall be minimum for 12 months or as per the Policy of Original Equipment Manufacturer (OEM), whichever is higher. In case of any complaint/repair required during Guarantee/ Warranty period, the vendor/ supplier will respond within Seven days and ensure rectification within two weeks' time from the date of lodging of complaint. The supplier shall either rectify or replace the defective item(s)/material(s) free of cost to SAPDC within Guarantee/Warranty period.
If, supplier fails to perform such obligation(s), then the retained amount as per clause No.8(ii) may be forfeited by the SAPDC.
19. **Consignee:** The material/ goods under this Contract shall be dispatched to Consignee as mentioned in BOQ/ scope of work. However, Chief Engineer (Store) shall be the consignee for this contract and payment and other codal formalites shall be done through Chief Engineer (Store) for all the material. The address of consignee shall be as following below:

Chief Engineer/Head (Store),

Satluj Bhawan, Arun Sadan,

SAPDC, Tumlingtar,

Distt. Sankhuwasabha, Nepal.

(Mobile No.: 9852058138, 9852099567)

Email: store.sapdc@gmail.com

20. **Inspection:** Inspection of the item(s)/material shall be carried out by OIC or his authorized representative at Store/ locations as mentioned in the BOQ/Scope of Work. OIC shall ensure the technical specification(s), make/brand/model (If applicable) of the supplied item(s) is/are as per NIQ/LOA.
21. **Clause deleted without change in Serial No.**
22. **Resolution of Dispute:** In case of any dispute or difference that arises out of the subject cited supply, the same shall be referred to the Sole Arbitrator, who shall be appointed by the CEO, Arun-3 HEP, SAPDC, Tumlingtar. The award of the arbitrator shall be final and binding on both the parties. Courts of Chainpur (Nepal) shall have exclusive Jurisdiction for adjudication upon the dispute arising out of the subject cited supply between the parties.
23. Corrigendum/Addendum, if any to NIQ shall be uploaded only on <http://sjvn.nic.in/tender.htm> & <http://www.sapdc.com.np/pages/tender>.
24. SAPDC reserves the right to reject any or all the tenders without assigning any reason thereof.
25. For any relevant enquiry/clarification for submission of bid and any other information, the Bidders may contact to: -

Name	Designation	Contact No.	Address
Er. Rakesh Singh	Chief Engineer (P&C)	Tel no: +977-029-57515 E-mail Address: pnc.sapdc@gmail.com	Satluj Bhawan, Arun Sadan, SAPDC, Tumlingtar, Distt. Sankhuwasabha, Nepal.

26. **General Information:**

Access to Project Sites:

To reach the site of Arun-3 HEP Nepal the nearest broad-gauge railway station is Jogbani, Bihar (India) and further by road up to Tumlingtar is about nearly 264 Km. Jogbani in Bihar is a city of India with Nepal border and is just 6.00 Km. from Biratnagar (a major industrial town of Nepal).

Road conditions in different road segment en-route are as under:

- Biratnagar to Hile:- Hile is located at a distance of 108 Km from Biratnagar and the existing road up to Hile is black topped road in good condition.
- Hile-Pakhribas-Tumlingtar:- This route is about 55 Km and the road fully is black topped .
- Tumlingtar is also connected to Kathmandu and Biratnagar by air by around thirty-five minutes journey.

For & on the behalf of SAPDC

Sd/-

Chief Engineer (P&C)

SAPDC, Tumlingtar,
Distt. Sankhuwasabha, Nepal
Ph. +977-29-575154,

E-mail Address: pnc.sapdc@gmail.com

BILL OF QUANTITIES(BOQ)

Name of Work/Assignment: (PPR-147/2023) "Supply & Transportation of Various Electrical Spares at SAPDC Office Complex Tumlingtar, Distt Sankhuwasabha Nepal, as per Technical Specification at Annexure-B & as per Scope of work at Annexure-C ."

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
1.	Power Contactor (As per Technical Specification at Annexure-B)	ABB only	Set	3						
2.	Glass relay 11 pin glass relay with base, 24VDC, Terminal Type, plug In	Schneider/omron/Salzer	Nos.	8						
3.	Voltage protection relay (As per Technical Specification at Annexure-B)	Selec only	Nos.	5						
4.	ON Delay Electronic Timer (As per Technical Specification at Annexure-B)	Selec/GIC/Truemeterr	Nos.	5						
5.	Over Current Relay (As per Technical Specification at Annexure-B)	Schneider/BCH	Nos.	2						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
6.	Auxiliary Contactor (As per Technical Specification at Annexure-B)	Selec/L&T /LS	Nos	5						
7.	Modular switch 5A (As per Technical Specification at Annexure-B)	Anchor/Havells/Phillips	Nos.	50						
8.	Modular switch 15A (As per Technical Specification at Annexure-B)	Anchor/Havells/Phillips	Nos.	50						
9.	Modular power socket 15A (As per Technical Specification at Annexure-B)	Anchor/Havells/Phillips	Nos.	50						
10.	Modular power socket 5A (As per Technical Specification at Annexure-B)	Anchor/Havells/Phillips	Nos.	50						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
11.	Modular fan regulator (As per Technical Specification at Annexure-B)	Usha/Baja j/Crompton/Havells	Nos.	25						
12.	Fan capacitor (As per Technical Specification at Annexure-B)	Havells/Tibcon/Epcs	Nos.	75						
13.	6 gang one way Switchboard set (As per Technical Specification at Annexure-B)	Electra/Rathi/Buddha	Nos.	30						
14.	Double Power Socket (As per Technical Specification at Annexure-B)	Electra/Rathi/Buddha	Nos.	30						
15.	Electrical Call Bell (Wireless) Set (As per Technical Specification at Annexure-B)	Reputed	Nos.	25						
16.	Electric Door Bell (Wired) (As per Technical Specification at Annexure-B)	Reuted	Nos.	25						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
17.	Modular Bell Push Bottom Switch (As per Technical Specification at Annexure-B)	Anchor/Havells/Phillips	Nos.	10						
18.	Bell switch 6A (As per Technical Specification at Annexure-B)	Anchor/Havells/Phillips	Nos.	10						
19.	Power Socket (As per Technical Specification at Annexure-B)	Electra/Rathiba	Nos.	30						
20.	Grinder cutting wheel 100mm (As per Technical Specification at Annexure-B)	Bosch/Ingco/Tomahawk	Nos.	50						
21.	MCB SP 6A (As per Technical Specification at Annexure-B)	Havells/C&S/ABB	Nos.	20						
22.	MCB SP 10A (As per Technical Specification at Annexure-B)	Havells/C&S/ABB	Nos.	20						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
23.	MCB SP 16A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						
24.	MCB SP 32A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						
25.	MCB DP 16A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						
26.	MCB DP 25A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						
27.	MCB DP 32A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						
28.	MCB TP 32A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						
29.	MCB TP 63A (As per Technical Specification at Annexure-B)	Havells/C &S/ABB	Nos.	20						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
30.	PVC listic 25*15 (6 feet long) (As per Technical Specification at Annexure-B)	Reputed	Nos.	50						
31.	PVC listic 20*15(6 feet long) (As per Technical Specification at Annexure-B)	Reputed	Nos.	50						
32.	PVC listic 16*12(6 feet long) (As per Technical Specification at Annexure-B)	Reputed	Nos.	30						
33.	Extension cord (As per Technical Specification at Annexure-B)	Havells/Anchor/Syska	Nos.	20						
34.	Batten holder (As per Technical Specification at Annexure-B)	Anchor/Havells/Dura volt	Nos.	30						
35.	Angle holder (As per Technical Specification at Annexure-B)	Anchor/Havells/Dura volt	Nos.	50						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
36.	PVC Mounting Box 5*3 (As per Technical Specification at Annexure-B)	Coswall/w allpad/Cre ek/Electra	Nos.	50						
37.	PVC Mounting Box 3*3 (As per Technical Specification at Annexure-B)	Coswall/w allpad/Cre ek/Electra	Nos.	20						
38.	PVC box 3*8 6M, 3*8, Modular, PVC Concealed, White BoX	Anchor/Havells/ Phillips	Nos.	10						
39.	PVC box 3*4 3M, 3*4, Modular, PVC Concealed, White BoX	Anchor/Havells/ Phillips	Nos.	10						
40.	LED bulb 5 watt (As per Technical Specification at Annexure-B)	Havells/Philips/Syska	Nos.	25						
41.	LED bulb 9 watt (As per Technical Specification at Annexure-B)	Havells/Philips/Syska	Nos.	25						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
42.	LED bulb 12 watt (As per Technical Specification at Annexure-B)	Havells/Philips/Syska	Nos.	25						
43.	LED bulb 18 watt (As per Technical Specification at Annexure-B)	Havells/Philips/Syska	Nos.	20						
44.	Motor Starter (≥5HP) (As per Technical Specification at Annexure-B)	Pradhan/Rajlite/Sonex	Nos.	3						
45.	Motor Starter(≥2HP) (As per Technical Specification at Annexure-B)	Reputed	Nos.	3						
46.	PVC Pipe ½ inch standard, white in color, used for Split AC drain line.	Reputed	Mtr	100						
47.	Capacitor(50µf) (As per Technical Specification at Annexure-B)	Concap/capaca/Ambler/Tibcon	Nos	10						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
48.	Capacitor(45µf) (As per Technical Specification at Annexure-B)	Concap/capaca/Ambler/Tibcon	Nos	50						
49.	Ceiling fan 36 inch,230V,AC,Metal,White in color	Usha/Bajaj/Crompton/orient	Nos	10						
50.	Exhaust Fan 12 inch, 230V,50Hz,AC, Metal, Shutter type	Usha/Bajaj/Crompton/orient	Nos	8						
51.	LED Tube light rod 4 feet white in color,18-20 watt AC 220 Volt LED Tubelight (Rod only).	Reputed	Nos	50						
52.	LED Tube light 4 feet white in color,18-20 watt AC 220 Volt LED Tubelight set	Havells/philips/Orient/CG	Nos	50						
53.	16 mm DC CU Wire (As per Technical Specification at Annexure-B)	Litmus/Prime/Premier/Mahalaxmi	Roll of 90 Mtrs	2						

Sr. No	Description of items	Acceptable Makes/ Brands	Unit	Qty	Offered Make/ Brand/ Model(If applicable) to be filled by the bidder	Rate (NPR) Including of VAT & Supply, transportation etc. charges		Amount (NPR) (Including of VAT) & Supply transportation etc. charges) (In Figure)	Offered discount (if any) in percentage (%)	
						In Figures	In Words		In Figures	In Words
54.	10 mm DC CU Wire (As per Technical Specification at Annexure-B)	Litmus/Prime/ Premier/ Mahalaxmi	Roll of 90 Mtrs	2						
55.	MCCB (160Amp) (As per Technical Specification at Annexure-B)	Schneider/ ABB/L&T/ Legrand	Nos	2						
56.	MCCB (250 Amp) (As per Technical Specification at Annexure-B)	Schneider/ ABB/L&T/ Legrand	Nos	1						
Total Amount (NPR) Including of VAT & Supply, transportation etc. charges complete in all respect as per scope of work										

Note

- 1) Only unconditional discount offered at appropriate place in the BOQ shall only be considered for evaluation of the bid, discount offered at any other place or in any other document/letter submitted by the bidder along with the bid shall not be considered for the purpose of evaluation as well as award. Further, the bidder shall quote rate and amount inclusive of VAT, any other charges/taxes/VAT mentioned at any other place/document/letter by the bidder/supplier shall also for not be considered evaluation as well as award.
- 2) Offered Make/Model/Brand (If applicable) should be filled by the bidder for which quoting the rates.

Date:

Place:

For and on behalf of the bidder /Supplier

.....
(Signature of authorized representative of the Bidder/ Supplier, along with his name, Seal of Company)

Undertaking for Compliance of minimum Technical Specification of the item(s)(PPR147/2022)

Table-1

To be filled by the bidder as mentioned below;

Sr.No.	Items	Accepted Make/brand	Quoted/offered Make/brand to be mentioned by the bidder
1	Power Contactor	ABB	
2.	Glass relay	Schneider/omron/salzer	
3.	Voltage Protection relay	Selec	
4.	ON Delay Electronic Timer	Selec/GIC/Truemeterr	
5.	Over Current Relay	Schneider/BCH Model No. Schneider/BCH (EOCRSS-80W 2) BCH (BCH BOCRSS-30W)	
6.	Auxiliary Contactor	Selec/L&T/LS	
7.	Modular switch 5A & 15A	Anchor/Havells/Phillips	
8.	Modular Power Socket 5A &15A	Anchor/Havells/Phillips	
9.	Modular Fan Regulator	Usha/Bajaj/Crompton/Havells	
10.	Fan Capacitor	Havells/Tibcon/Epcos	
11.	6 gang one way Switchboard Set	Electra/Rathi/Buddha	
12.	Double Power Socket	Electra/Rathi/Buddha	
13.	Electrical Call Bell (Wireless)	Reputed	
14.	Electrical Door Bell (Wired)	Reputed	
15.	Modular Bell Push Bottom Switch	Anchor/Havells/Phillips	
16.	Bell Switch6A	Anchor/Havells/Phillips	
17.	Power Socket	Electra/Rathi/Buddha	
18.	Grinder cutting wheel 100mm	Bosch/Ingco/Tomahawk	

19.	MCB SP 6A,10A,16A& 32A	Havells/C&S/ABB	
20.	MCB DP 16A,25A & 32A	Havells/C&S/ABB	
21.	MCB TP 32A & 63A	Havells/C&S/ABB	
22.	MCB160A & 250A	Havells/C&S/ABB	
23.	Electrical Conduit (elastic) /PVC (6 feet long) 25*15 ,20*15 & 16*12)	Reputed	
24.	Extension Cord	Havells/Anchor/Syska	
25.	Batten holder	Anchor/Havells/Dur avolt	
26.	Angel holder	Anchor/Havells/Dur avolt	
27.	PVC Mounting BoX 5*3	Coswall/wallpad/Cre ek/Electra	
28.	PVC Mounting BoX 3*3	Coswall/wallpad/Cre ek/Electra	
29.	PVC box 3*8	Anchor/Havells/Phili ps	
30.	PVC box 3*4	Anchor/Havells/Phili ps	
25.	Modular Socket	Anchor/Havells/ Phillips	
29.	Modular Switch	Anchor/Havells/ Phillips	
30.	LED Bulb 5Watt, 9Watt, 12Watt & 18Watt	Havells/Philips/Sysk a	
31.	Motor Starter (≥5HP)	Pradhan/Rajlite/Son ex	
32.	Motor Starter (≥HP)	Reputed	
33.	PVC Pipe	Reputed	
34.	Capacitor (45µf, & 50µf)	Concap/capaca/Amb er/Tibcon	
35.	Ceiling Fan	Usha/Bajaj/Crompto n/orient	
36.	Exhaust Fan	Usha/Bajaj/Crompto n/orient	
37.	LED Tube Light Rod	Havells/Phillips/Orie nt/CG	
38.	LED Tube light	Havells/Phillips/Orie nt/CG	
39.	10mm &16mm CU Wire	Litmus/Prime/ Premier/ Mahalaxmi	

Undertaking for Compliance of minimum Technical Specification of the item(s)(PPR147/2022

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
1.Power Contactor		
Make	ABB	
Type	EK 210-40-11	
Order code	SK 825 441 EL	
ABB Series	EK	
IEC (AC-1 Rated current 0≤40°C)	350A	
UL/CSA (General use rating 600V)	300A	
Coil Voltage	220–230-volt AC operated	
Frequency	50Hz	
Terminal Type	Main circuit: Bars	
Pole	4 poles	
Connecting Terminals Main pole	Flat type c/w screw & bolts	
No. of main contact (NO)	4	
No. of main contact (NC)	0	
No. of Auxiliary contacts	1 NO	
	1 NC	
Product Net Weight	About 6.600kg	
Product Net Height	About 198mm	
2. Voltage protection relay		
Make	Selec only	
Type	Digital Undervoltage relay	
Model	900VPR-2	
Voltage Type:	AC, 280 to 520V AC	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Contact Form	SPDT	
Coil Voltage	220–230-volt AC operated	
Frequency	50Hz	
Contact Configuration	2*1C/O(SPDT)	
No. of Auxiliary contacts	2 NO	
	2 NC	
Others	Accuracy Trip Voltage Approval CE, UL Listed 3Ø - 3 Wire, 3Ø - 4 Wire Input Monitors, Under Voltage, Over Voltage, Under Frequency, Over Frequency, Phase Asymmetry, Phase Failure and Phase Sequence True RMS Measurement Power ON Delay, Trip Time Delay and Recovery Time Delay Adjustable Switching Hysteresis, Two Separate Alarm Relays !!!!!!!DIN Rail Mount	
3. ON Delay Electronic Timer		
Make	Selec/GIC/Truemeter	
Type	Output relay type: SPCO	
Display	Digital/Potentiometer	
Timing function	On Delay	
Output relay rating:	5A @ 240V	
Operating Voltage	24V DC, 24V AC, 230V AC	
Timing range:	0.3 seconds - 30 hours	
Outputs	Relay	
Others	Mounting: DIN Rail Section: Timing it Size: 17.5(W)mm	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
4. Over Current Relay		
Make	Schneider/BCH	
Model	Schneider/BCH (EOCRSS-80W 2) BCH (BCH BOCRSS-30W)	
Type	Inbuilt CT (2Nos) point	
Display	Digital/Potentiometer	
Output delay timer rating	1-30 sec	
Output relay rating:	5-80Amp	
Output on-time rating:	1-10 sec	
Operating Voltage	220 volts,50hz	
Outputs	1NO+1NC	
Others	Power and trip indicator, Load, Delay time and operating time adjustable, test and reset bottom	
5. Auxiliary Contactor		
Make	Selec/L&T/LS	
Type	Inbuilt CT (2Nos) point	
Display	Digital/Potentiometer	
Operating Voltage	220 volt,50hz, Single phase	
Outputs	2NO+2NC	
Others	2NO+2NC, 220V,50hz single phase coil voltage supply	
6. Modular switch 5A & 15A		
Make	Anchor/Havells/ Phillips	
Type	1W,1M,	
Color	Pure White color	
Capacity	5/6 Amp and 15/16Amp	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Material	Fire Retardant, Polycarbonate Glossy Finish	
Others	Modular Switch with Indicator Marking, Fire	
7. Modular Power Socket 5A &15A		
Make	Anchor/Havells/ Phillips	
Type	2M	
Color	Pure White color	
Capacity	5/6 Amp and 15/16Amp	
Material	Fire retardant, Polycarbonate Material, Glossy Finish	
Others	Modular 3-Pin Shutter Socket with Indicator Marking	
8. Modular Fan Regulator		
Make	Usha/Bajaj/Crompton/Havells	
Type	5-Step type, 1M	
Operating Voltage	230V AC	
Color	White color	
Capacity	5Amp	
Material	Fire retardant, Polycarbonate Material, Glossy Finish, Fan Marking	
9. Fan Capacitor		
Make	Havells/Tibcon/Epcos	
Capacity	3.15uF,440VAC, ±50Hz	
Others	As per IS:1569 or above and CE marked	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
10. 6 gang one way Switchboard set		
Make	Electra/Rathi/Buddha	
Type	Six Gang one way Switchboard set with 6pcs 6A high grade radium in Switch Plus one 16A Power Socket with indicator and Dimmer Point	
Size	5*3	
Color	White color	
Capacity	5Amp for switch and 16Amp for socket	
Material	FELS and Fire Resistant	
Others	ISI approved RoHS compliant with outer cover switch plate, complete switchboard set.	
11. Double Power Socket		
Make	Electra/Rathi/Buddha	
Type	Non modular 5-Pin wall mounted universal power Socket	
Color	Pure White color	
Capacity	15/16Amp	
Material	Fire Retardant with Polycarbonate Material	
Others	Nylon anti -bumping bask beat, anti-tired strong single gang switch with indicator	
12. Electrical Call Bell (Wireless) set		
Make	Reputed	
Operating Voltage	AC 220V,50Hz	
Others	Dingdong Music, with Remote	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
	set (Battery Included)	
13. Electric Door Bell (Wired)		
Make	Reputed	
Operating Voltage	AC 220V,50Hz	
Others	Dingdong Music, Classic look and Music	
14.Modular Bell Push Bottom Switch		
Make	Anchor/Havells/ Phillips	
Type	1W,1M	
Color	Pure White color	
Capacity	10Amp	
Material	Fire Retardant with Polycarbonate Material, Glossy Finish	
Others	Modular Bell push Switch with Bell Marking and indication	
15. Bell switch 6A		
Make	Anchor/Havells/ Phillips	
Capacity	5/6Amp	
Others	Hanging type normal Spring bell switch, bell marked	
16. Power Socket		
Make	Electra/Rathi/Buddha	
Type	Non modular 5-Pin wall mounted universal power	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
	Socket	
Color	Pure White color	
Capacity	15/16Amp	
Material	Fire Retardant with Polycarbonate Material	
Others	Nylon anti -bumping bask beat, anti-tired strong single gang switch with indicator	
17. Grinder cutting wheel 100mm		
Make	Bosch/Ingco/Tomahawk	
Type	Cutting wheel Premium	
Material	Made of best Aluminum oxide grain abrasive combinations with double fiberglass reinforcement for metal cutting	
18. MCB SP 6A,10A,16A & 32A		
Make	Havells/C&S/ABB	
Type	Single pole	
Operating Voltage	415V AC,10KA	
Capacity	6Amp,10Amp,16Amp,32Amp	
19. MCB DP 16A,25A & 32A		
Make	Havells/C&S/ABB	
Type	Double pole	
Operating Voltage	415V AC,10KA	
Capacity	16Amp,25Amp,32Amp	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
20. MCB TP 32A & 63A		
Make	Havells/C&S/ABB	
Operating Voltage	415V AC,10KA	
Type	Triple pole	
Capacity	32Amp,63Amp	
21. MCB 160A & 250A		
Make	Havells/C&S/ABB	
Operating Voltage	415V AC,36KA	
Pole	Four poles	
Rated current	160 Amp at 40 °C/ 250 A at 40 °C	
Breaking Capacity	10 kA Icu at 550 V AC 50/60 Hz conforming to IEC 60947-2 25 kA Icu at 440 V AC 50/60 Hz conforming to IEC 60947-2 30 kA Icu at 125 V DC 1P conforming to IEC 60947-2 30 kA Icu at 250 V DC 2P conforming to IEC 60947-2 85 kA Icu at 220...240 V AC 50/60 Hz conforming to IEC 60947-2 36 kA Icu at 380...415 V AC 50/60 Hz conforming to IEC 60947-2	
Others	Control type: Toggle, Mounting mode: Fixed Mounting, Support: Backplate, Upside connection: Front Downside connection: Front, Mechanical durability:10000 cycles Connection pitch:35 mm Trip unit technology: Thermal-magnetic Trip unit rating:160 A at 50 °C, [In] rated current 250 A at 40 °C, rated insulation voltage 690 V AC 50/60 Hz conforming to IEC 60947-2, 550 V AC	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
	50/60 Hz conforming to IEC 60947-2 250 V DC conforming to IEC 60947-2	
22. Electrical Conduit (elastic)/ PVC 25*15,20*15 &16*12		
Make	Reputed	
Type	One piece 6 feet long design	
Dimension	25*15, 20*15, 16*12	
Others	Combines duct base together with its lip, Dimensional accuracy, Crack resistance, Lightweight, pure white color	
23. Extension cord		
Make	Havells/Anchor/Syska	
Type	B type power plug	
Others	Heavy duty 6A, LED indication for power status, ≥4 Universal Socket with individual switch, ≥1440VA capacity, Wire length≥ 1.5-meter, wire size≥0.5 sq mm with replaceable fuse for overload protection and Robust inbuilt surge protection.	
24. Batten holder		
Make	Anchor/Havells/Duravolt	
Type	Batten Holder for Bulb and Lights	
Capacity	5/6A, 240Volt	
Material	Heavy duty unbreakable poly carbonate for robust reliability, Shock proof and fire-retardant Material with Metal Ring B22 base and cap type.	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
25. Angle holder		
Make	Anchor/Havells/Duravolt	
Type	Angle Holder for Bulb and Lights	
	5/6A, 240Volt,	
Material	Heavy duty unbreakable poly carbonate for robust reliability, Shock proof and fire-retardant Material with Metal Ring B22 base and cap type.	
26. PVC Mounting Box 5*3		
Make	Coswall/wallpad/Creek/Electra	
Type	Rectangular in size (5*3),	
Material	PVC material	
Others	internal cassette white back mount box for switchboard set	
27. PVC Mounting Box 3*3		
Make	Coswall/wallpad/Creek/Electra	
Type	Square in shape and size (3*3)	
Material	PVC material	
Others	Internal cassette white back mount box for switchboard set	
28. Modular Socket		
Make	Anchor/Havells/ Phillips	
Type	2M	
Color	Pure White color	
Capacity	6Amp,16Amp	
Material	Fire Retardant, Polycarbonate Material, Glossy Finish	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Others	Modular 3-Pin Shutter Socket with Indicator Marking	
29. Modular Switch		
Make	Anchor/Havells/ Phillips	
Type	1W,1M	
Color	Pure White color	
Capacity	6Amp,16Amp	
Material	Fire Retardant, Polycarbonate Material, Glossy Finish	
Others	Modular Switch with Indicator Marking	
30. LED Bulb 5 Watt		
Make	Havells/Philips/Syska	
Watt	5Watt	
Material	Polycarbonate, Shade Color Cool Day Light	
Average Life	≥50000 Hours	
Others	Energy efficient, B22 cap type, Color Temperature: 6500K, Lumens: ≥ 450, Equivalent to 40 watts bulb and equivalent to 8 watts CFL No UV and IR radiation Zero light fluctuation over 100-240 VAC range, Shape Round Material	
31. LED Bulb 9 Watt		
Make	Havells/Philips/Syska	
Watt	9Watt	
Material	Polycarbonate, Shade Color Cool Day Light	
Average Life	≥50000 Hours	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Others	Energy efficient, B22 cap type, Color Temperature: 6500K, Lumens: ≥ 810 , No UV and IR radiation Zero light fluctuation over 100-240 VAC range, Shape Round	
32. LED Bulb 12 Watt		
Make	Havells/Philips/Syska	
Watt	12Watt	
Material	Polycarbonate, Shade Color Cool Day Light	
Average Life	≥ 50000 Hours	
Others	Energy efficient, B22 cap type, Color Temperature: 6500K, Lumens: ≥ 1080 No UV and IR radiation Zero light fluctuation over 90-300 VAC range, Shape Round	
33. LED Bulb 18 Watt		
Make	Havells/Philips/Syska	
Watt	18Watt	
Material	Polycarbonate, Shade Color Cool Day Light	
Average Life	≥ 50000 Hours	
Others	Energy efficient, B22 cap type, Color Temperature: 6500K, Lumens: ≥ 1800 No UV and IR radiation Zero light fluctuation over 90-300 VAC range, Shape Round	
34. Motor Starter (≥ 5HP)		
Make	Pradhan/Rajlite/Sonex	
Type	Automatic DOL Starter: Having Dry Run Inbuilt	
Capacity	≥ 5 HP Three Phase	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Others	Protection: UV, OV, Phase Failure, Phase Sequencing, Over/Under Current, Auto/Manual Selection Switch, Indicator, Push bottom switch for manual operation, Timer facility etc. suitable for Heavy duty submersible water motor	
35. Motor Starter (≥2HP)		
Make	Reputed	
Type	Single phase Capacitor start capacitor run automatic motor starter with inbuilt 200/250 micro farad 1.7% duty cycle start capacitor and 72uf running capacitor	
Capacity	≥2HP	
Others	Heavy duty type and suitable for water fountain motor, Includes Protection systems like, OV/UV/Over load and auto manual operation features with timer facility	
36. PVC Pipe		
Make	Reputed	
Color	White color	
Size	1/2-inch	
Others	Standard Pipe used for Split AC drain line	
37. Capacitor (45μf, 50μf)		
Make	Concap/capaca/Amber/Tibcon	
Capacity	45μf, 50μf 440VAC,50Hz	
Material	Aluminum Alloy body	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Others	suitable for split AC, CE marked and, fulfilled IS2993, IS2994 standard	
38. Ceiling fan		
Make	Usha/Bajaj/Crompton/orient	
Size	36 inches	
Operating Voltage	230V AC	
Material	Metal	
Color	White in color, Premium designed classic look	
39. Exhaust fan		
Make	Usha/Bajaj/Crompton/orient	
Size	12 inches	
Operating Voltage	230V AC	
Material	Metal	
Other	Shutter type Shape in square and classic look	
40. LED Tube light rod		
Make	Havells/Phillips/Orient/CG	
Color	White color	
Capacity	18–20 watt	
Type	LED Tube light Rod only	
Operating voltage	220V, AC	
Size	4 feet length	
41. LED Tube light		
Make	Havells/Phillips/Orient/CG	
Color	White color	
Capacity	18–20-watt, LED	
Type	Led Tube light set, Ready to use	

Parameters	Item Description along with Technical Description/Required Specification	Compliance filled by the Bidder as either Yes/No/Mentioning the Corresponding specification
Operating Voltage	220V, AC	
Size	4 feet Length	
42. 10 mm &16mm DC CU Wire		
Make	Litmus/Prime/ Premier/ Mahalaxmi	
Size	10mm, 16mm	
Type	DC wire	
Others	1100V PVC Insulated, Single core, Flexible	

For & on behalf of the bidder /Supplier

.....

(Signature of authorized representative of the Bidder/Supplier, along with his name, Seal of Company)

Note:- Deviation, if any considered by the bidder as per Annexure-B, then the same shall be examined by the Indenting Department in line with Technical specification whether the same is acceptable or not. In case of non-acceptance by the Indenting Department the bid may be rejected. Further, Annexure-B shall be made the part of Supply order/LOA.

SCOPE OF WORK (PPR- 147/2023)

NAME OF WORK: “Supply & Transportation of Various Electrical Spares at SAPDC Office Complex Tumlingtar, Distt Sankhuwasabha Nepal, as per Technical Specification at Annexure-B & as per Scope of work at Annexure-C. (PPR- 147/2023)”.

1.0 SCOPE OF WORK:

- a. Supply & transportation of various electrical spares as per Technical Specification to the consignee at the following address:

Chief Engineer/Head (Store),
Satluj Bhawan, Arun Sadan,
SAPDC, Tumlingtar,
Distt. Sankhuwasabha, Nepal.
(Mobile No.: 9852058138, 9852099567)
Email: store.sapdc@gmail.com

FORM OF DECLARATION

M/s------(name of Bidder/Supplier) having its registered office at -----
----- (hereinafter referred to as 'the Bidder/Supplier')
having carefully studied all Terms and conditions, scope of work &
Technical specifications, BOQ etc. and all corrigendum (if any) pertaining
to the "Supply & Transportation of Various Electrical Spares at SAPDC
Office Complex Tumlingtar, Distt Sankhuwasabha Nepal, as per Technical
Specification at Annexure-B & as per Scope of work at Annexure-C (**PPR-
147/2023**)." the local and site conditions and having undertaken to
execute the said works.

DO HEREBY DECLARE THAT:

1. The Bidder is familiar with all the requirements of the Contract.
2. The Bidder has not been influenced by any statement or promise of
any person of the Employer but only the Contract conditions.
3. The Bidder undertakes that the information furnished in the Bid is
true and correct in all respects.
4. The Bidder undertakes that all the documents uploaded along with
the NIQ have been read and there is no deviation from the terms and
conditions of the NIQ including Corrigendum/Addendum (if any).

Date:

For and on behalf of the bidder /Supplier

.....

(Signature of authorized representative of the Bidder/Supplier, along with his name, Seal of Company)

BANK ACCOUNT DETAILS (PPR-147/2023)

Sr. No.	Particulars	#To be filled by bidder(s)
1.	Name of Bidder as per Bank record	
2.	Bank account number	
3.	Bank name	
4.	Branch address	

#Copy of cancelled cheque may also be ttached

For and on behalf of the bidder /Supplier

.....

(Signature of authorized representative of the Bidder/Supplier, along with his name, Seal of Company)